



Quality Products Since 1932 • DRYLOK® • ZAR® • UGL®

REVISED November 2022
DRYLOK® CONCRETE FLOOR PAINT TINTING FORMULATION

MATCHING: DRYLOK® EXTREME WATERPROOFER
SYSTEM: **HOME HARDWARE BEAUTITONE** USING 48 INCREMENTS PER FLUID
OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 48, lists the number(s) of fractions, 32ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should **NOT** be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match.

UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

- AX- Yellow
- B- Lamp Black
- C- Yellow Oxide
- D- Blue
- E- Red Oxide
- G- White
- H- Umber
- MH- High Strength Magenta
- U- Brown Oxide
- Z- Green
- RH-High strength red
- AH-High strength yellow



Quality Products Since 1932 • DRYLOK® • ZAR® • UGL®

BEIGE

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C- Yellow Oxide	0	3	C - Yellow Oxide	0	15
			H - Raw Umber	0	20	H - Raw Umber	2	4
			RH-High strength red	0	4	RH-High strength red	0	20

BLUE

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C- Yellow Oxide	0	1	C- Yellow Oxide	0	5
			D- Blue	0	33	D- Blue	3	21

BUTTERCUP

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			AH-High strength	0	6	AH-High strength	0	30

GRAY

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B - Lamp Black	1	19	B - Lamp Black	6	47
			C- Yellow Oxide	0	32	C - Yellow Oxide	3	16
			E- Red Oxide	0	2	E- Red Oxide	0	10



Quality Products Since 1932 • DRYLOK® • ZAR® • UGL®

MINT GREEN

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			AH-High strength	0	3	AH-High strength	0	15
			D- Blue	0	4	D- Blue	0	20

PLATINUM

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			B – Lamp Black	0	9	B – Black Lamp	0	45
			C- Yellow Oxide	0	1	C- Yellow Oxide	0	5

SAND

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			C – Yellow Oxide	0	8	C – Yellow Oxide	0	40
			H- Umber	0	4	H- Umber	0	20

SLATE BLUE

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			D- Blue	0	3	D- Blue	0	15
			E- Red Oxide	0	1	E- Red Oxide	0	5
			H- Umber	0	1	H- Umber	0	5



Quality Products Since 1932 • DRYLOK® • ZAR® • UGL®

SOFT PINK

WHITE BASE

Quart Formula			Gallon Formula			Five Gallon Formula		
Colorant	OZS.	48s	Colorant	OZS.	48s	Colorant	OZS.	48s
			RH-High strength red	0	3	RH-High strength red	0	15
			C- Yellow Oxide	0	3	C- Yellow Oxide	0	15
			G- White	1	28	G- White	7	44