

NOVEMBER 2013

DRYLOK EXTREME WATERPROOFER FORMULATIONS

MATCHING: DRYLOK EXTREME WATERPROOFER COLORS

SYSTEM: **TRUE VALUE LOW VOC COLORANTS** USING 48
INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in three columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a nothing appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading shots, lists the number(s) of fractions, 48ths, of a fluid ounce to add. If a nothing appears in this column, no fractions are added. The third column under the heading 1/8, lists the number of 1/8ths of a shot to add to the paint. If nothing appears in this column then nothing is added. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

AXZ – Permanent Yellow
BZ – Lamp Black
CZ – Yellow Oxide
DZ – Phthalo Green
EZ – Phthalo Blue
FZ – Red Iron Oxide
IZ – Brown Iron Oxide
KXZ – White
LZ – Raw Umber
QZ – Yellow (High Strength)
RZ – Red (High Strength)
VZ – Magenta

DRYLOK EXTREME WATERPROOFER — TRUE VALUE LOW VOC COLORANTS

BEIGE WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
CZ		2	6
LZ		4	2
RZ			2

Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ		11	
LZ		17	
RZ		1	2

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ	1	7	
LZ	1	37	
RZ		6	2

BLUE WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
DZ		1	
EZ		11	4
LZ			1

Gallon Formula			
Color	Oz(Y)	Shot	1/8
DZ		4	
EZ		46	
LZ			6

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
DZ		20	
EZ	4	38	
LZ		3	6

BUTTERCUP WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
AXZ		3	
CZ			2
LZ			1

Gallon Formula			
Color	Oz(Y)	Shot	1/8
AXZ		12	
CZ		1	
LZ			4

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
AXZ	1	12	
CZ		5	
LZ		2	4

GRAY WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
BZ		11	4
CZ		7	4

Gallon Formula			
Color	Oz(Y)	Shot	1/8
BZ		46	
CZ		30	

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
BZ	4	38	
CZ	3	6	

MINT GREEN WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
AXZ			5
DZ		1	
LZ			7

Gallon Formula			
Color	Oz(Y)	Shot	1/8
AXZ		2	4
DZ		4	
LZ		3	4

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
AXZ		12	4
DZ		20	
LZ		17	4

PLATINUM WHITE Base

Quart Formula			
Color	Oz(Y)	Shot	1/8
BZ		2	1
CZ		1	

Gallon Formula			
Color	Oz(Y)	Shot	1/8
BZ		8	4
CZ		4	

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
BZ		42	4
CZ		20	

DRYLOK EXTREME WATERPROOFER — TRUE VALUE LOW VOC COLORANTS

SAND	WHITE Base
------	------------

Quart Formula			
Color	Oz(Y)	Shot	1/8
CZ		2	1
LZ			7

Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ		8	4
LZ		3	4

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ		42	4
LZ		17	4

SLATE BLUE	WHITE Base
------------	------------

Quart Formula			
Color	Oz(Y)	Shot	1/8
DZ			1
EZ		1	2
LZ		1	2

Gallon Formula			
Color	Oz(Y)	Shot	1/8
DZ			2
EZ		5	
LZ		5	

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
DZ		1	2
EZ		25	
LZ		25	

SOFT PINK	WHITE Base
-----------	------------

Quart Formula			
Color	Oz(Y)	Shot	1/8
CZ		1	3
RZ		1	

Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ		5	4
RZ		4	

5 Gallon Formula			
Color	Oz(Y)	Shot	1/8
CZ		27	4
RZ		20	